


Flexlight



Translucent _____



Opaque _____



White 412-8100

White/Black

412-50376

Flexight and Précontraint are Serge Ferrari sas registered trademarks. Ref. CT-02450 • 08/2025 • PDF ONLY

Main advantage

Inner layer for halls and clearspans

Main applications

- Exceptional dimentional stability due to Précontraint[®] technology
- Long lasting and low maintenance
- Easy to weld

	Translucent	Opaque
Technical properties		
Yarn type	PES High tenacity	
Yarn treatment	No treatment	
Coating	Standard	
Finish	Acrylic both sides	
Weight EN ISO 2286-2	400 g/m² • 11.8 oz/sq. yd	550 g/m² • 16.2 oz/sq. yd
Width	267 cm • 105.1 in	
Standard format length	Rolls: 50 lm • 54.68 yd Jumbo rolls: 350 lm • 382.76 yd	
	Physical properties	
Tensile strength (warp/weft) EN ISO 1421	200/200 daN/5 cm • 450/450 lbs/2 in	
Tear strength (warp/weft) DIN 53.363	20/20 daN • 45/45 lbs	
Elongation under load (warp/weft)	<1% / <1%	
Adhesion EN ISO 2411	8 daN/5 cm • 18 lbs/2 in	
Adhesion EN ISO 2411	8 daN/5 cm • 18 lbs/2 in	
	Fire resistance	
Rating - International fire certificate available, such as*	B-s2,d0 /EN 13501-1	
	Management systems	
	Quality: ISO 9001 • Environment: ISO 140	01 • Energy: ISO 50001
	Certifications, labels	
	Précontraint® Technology	ECO PLATFORM SP BET Za CShR APPLIED

- * Contact us for latest certificate updates & validities
- ¹ Summarizes the group's CSR project focused on human, to align economic performance and positive impact.

The technical data above are averaged values with a \pm -5% tolerance.

The purchaser of our products is responsible for their application or transformation in relation to possible third party rights. The purchaser of our products is responsible for their installation in compliance with the standards, working practices and safety regulations of their destination country. Please refer to our warranty document with regard to contractual liability. Values quoted in this document are commonly used test results for design purposes. They are given for information only in order to offer our customers optimum usage of our products. Our products are subject to improvements resulting from technical developments and we reserve the right to modify their characteristics at any time. The purchaser of our products is responsible for checking the above data.

The colors and textures presented are included for information only

